


Estimated Number of Adults and Adolescents Living with HIV/AIDS, by Sex, 2001–2005—33 States




Note. Data include persons age 13 years and older with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays. Age as of end of year.



Revised June 2007



Estimated Number of Persons Living with HIV/AIDS, by Race/Ethnicity, 2001–2005—33 States




Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays.



Revised June 2007



Estimated Number of Asians/Pacific Islanders and of American Indians/Alaska Natives Living with HIV/AIDS 2001–2005—33 States




Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays.



Revised June 2007



Proportion of HIV/AIDS Cases among Adults and Adolescents, by Sex and Transmission Category 2005—33 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.


† Includes hemophilia, blood transfusion, perinatal, and risk factor not reported or not identified.



Revised June 2007



Proportion of HIV/AIDS Cases among Adults and Adolescents, by Race/Ethnicity, 2001–2005—33 States




Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays.



Revised June 2007



Proportion of HIV/AIDS Cases among Adults and Adolescents, by Transmission Category 2001–2005—33 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Revised June 2007



Estimated Number and Proportion of HIV/AIDS Cases among Adults and Adolescents, by Transmission Category 2005—33 States

<u>Transmission category</u>	<u>No.</u>	<u>%</u>
Male-to-male sexual contact	18,296	49
Injection drug use (IDU)	5,292	14
Male-to-male sexual contact and IDU	1,324	4
High-risk heterosexual contact*	11,989	32
<u>Other/not identified**</u>	<u>262</u>	1
Total	37,163	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

** Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



Estimated Number and Proportion of HIV/AIDS Cases Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity 2005—33 States

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>%</u>
White, not Hispanic	7,741	42
Black, not Hispanic	6,627	36
Hispanic	3,497	19
Asian/Pacific Islander	231	1
American Indian/ Alaska Native	91	<1
<u>Total*</u>	<u>18,296</u>	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Total includes 109 persons of unknown race or multiple races.



Estimated Number and Proportion of HIV/AIDS Cases among Adults and Adolescents Attributed to High-Risk Heterosexual Contact*, by Race/Ethnicity, 2005—33 States

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>%</u>
White, not Hispanic	1,848	15
Black, not Hispanic	7,904	66
Hispanic	1,961	16
Asian/Pacific Islander	130	1
American Indian/ Alaska Native	57	<1
<u>Total†</u>	<u>11,989</u>	

Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

† Total includes 89 persons of unknown race or multiple races.



Estimated Number and Proportion of HIV/AIDS Cases Attributed to Male-to-Male Sexual Contact and Injection Drug Use, by Race/Ethnicity, 2005—33 States

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>%</u>
White, not Hispanic	591	45
Black, not Hispanic	517	39
Hispanic	196	15
Asian/Pacific Islander	6	<1
American Indian/ Alaska Native	7	1
<u>Total*</u>	<u>1,324</u>	

Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Total includes 7 persons of unknown race or multiple races.



Revised June 2007



Estimated Number and Proportion of HIV/AIDS Cases Attributed to Injection Drug Use, by Race/Ethnicity 2005—33 States

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>%</u>
White, not Hispanic	1,287	24
Black, not Hispanic	2,822	53
Hispanic	1,053	20
Asian/Pacific Islander	42	1
American Indian/ Alaska Native	38	1
<u>Total*</u>	<u>5,292</u>	

Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Total includes 50 persons of unknown race or multiple races.



Estimated Number of HIV/AIDS Cases and Rates for Male Adults and Adolescents, by Race/Ethnicity 2005—33 States

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Rate (cases per 100,000 population)</u>
White, not Hispanic	9,848	18.2
Black, not Hispanic	11,624	124.8
Hispanic	5,352	56.2
Asian/Pacific Islander	324	14.5
American Indian/ Alaska Native	138	19.1
<u>Total*</u>	<u>27,455</u>	<u>36.2</u>

Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays.

* Includes 169 male adults and adolescents of unknown race or multiple races.



Estimated Number of HIV/AIDS Cases and Rates for Female Adults and Adolescents, by Race/Ethnicity 2005—33 States


<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Rate (cases per 100,000 population)</u>
White, not Hispanic	1,682	3.0
Black, not Hispanic	6,389	60.2
Hispanic	1,405	15.8
Asian/Pacific Islander	89	3.8
American Indian/ Alaska Native	57	7.5
Total*	9,708	12.2

Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays.

* Includes 86 female adults and adolescents of unknown race or multiple races.



Estimated Prevalence Rates for Adults and Adolescents Living with HIV Infection (not AIDS), 2005—33 States and U. S. Dependent Areas




Note. Data from 33 states and U. S. dependent areas with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays.

Revised June 2007



Estimated Prevalence Rates for Children <13 Years of Age Living with HIV Infection (not AIDS), 2005—33 States and U. S. Dependent Areas




Note. Data from 33 states and U. S. dependent areas with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays.



Revised June 2007



Year of Initiation of Confidential Name-Based HIV Case Surveillance* as of December 2006




* As of December 2006 there were 52 areas with confidential name-based HIV infection reporting.



Reported Cases of HIV Infection (not AIDS), 2005—38 States and U. S. Dependent Areas


N = 35,537*



Note. Data from 38 states and U. S. dependent areas with confidential name-based HIV infection reporting as of December 2005.
 * Includes 487 persons who were residents of areas without HIV infection surveillance but who were reported by areas with HIV infection surveillance. Includes 292 persons whose area of residence is unknown.



Adolescents 13–19 Years of Age Reported to be Living with HIV Infection (not AIDS), 2005—38 States and U. S. Dependent Areas N=3,156*



Note. Data from 38 states and U. S. dependent areas with confidential name-based HIV infection reporting as of December 2005.
* Includes 27 residents of areas without HIV infection surveillance but who were reported from areas with HIV infection surveillance. Includes 27 persons whose state of residence is unknown or missing.




Reported Cases of HIV Infection (not AIDS), by Age Group at Diagnosis, Cumulative through 2005—38 States and U. S. Dependent Areas

<u>Age (years)</u>	<u>HIV Infection (not AIDS)</u>	
	<u>No.</u>	<u>%</u>
<13	5,082	2
13–14	416	<1
15–24	39,278	16
25–34	87,271	35
35–44	76,481	31
45–54	30,771	12
55–64	8,192	3
≥65	2,459	<1
<u>Total</u>	<u>249,950</u>	

Note. Data from 38 states and U. S. dependent areas with confidential name-based HIV infection reporting as of December 2005.



Reported Cases of HIV Infection (not AIDS) in Children <13 Years of Age at Diagnosis, 2005—38 States and U. S. Dependent Areas




Note. Data from 38 states and U. S. dependent areas with confidential name-based HIV infection reporting as of December 2005.

* Includes 12 persons who were residents of areas without HIV infection surveillance but who were reported by areas with HIV infection surveillance. Includes 16 persons whose area of residence is unknown or missing.



Reported Cases of HIV Infection (not AIDS,) by Age Group and Sex, Cumulative through 2005—38 States and U. S. Dependent Areas




Note. Data from 38 states and U. S. dependent areas with confidential name-based HIV infection reporting as of December 2005.

*Excludes 7 persons of unknown sex.



Estimated Diagnosis Rates of HIV/AIDS for Adults and Adolescents, 2005—33 States



Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2001. Data have been adjusted for reporting delays.



Revised June 2007

